

Bibliography 2004-2006 – Citations Only

Abbound L. Eli Lilly decides openness on drugs is best medicine; U.S. firm to publish details on almost all clinical trials of pharmaceuticals it sells. *Asian Wall Street Journal* 2004 Aug 5;A 6.

Abbound L. Lilly plans broad access to results on its drug trials. *Wall Street Journal* 2004 Aug 3 [cited 2006 May 7];B 1. Available from: http://www.medicalprogresstoday.com/news/news_indarchive.php?id=178.

Abikoff H, McGough J, Vitiello B. Sequential pharmacotherapy for children with comorbid attention-deficit/hyperactivity and anxiety disorders. *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2005 May [cited 2006 May 7];44(5):418-27. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15843763&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

American Academy of Child and Adolescent Psychiatry. AACAP actions prompt AMA to review SSRI data [monograph on the Internet]. Washington: AACAP; [updated 2005 Jun 22; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2005/0622.htm.

American Academy of Child and Adolescent Psychiatry. AACAP advises child and adolescent psychiatrists on antidepressants [monograph on the Internet]. Washington: AACAP; [updated 2004 Nov 1; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2004/1101.htm.

American Academy of Child and Adolescent Psychiatry. AACAP advocacy leads to AMA support: review of data on SSRI antidepressant safety removal of restrictions on the publication of clinical trials data [monograph on the Internet]. Washington: AACAP; [updated 2004 Dec 8; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2004/1208.htm.

American Academy of Child and Adolescent Psychiatry. AACAP and APA ask FDA to monitor youth SSRI prescription drop [monograph on the Internet]. Washington: AACAP; [updated 2005 Sep 2; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2005/0902.htm.

American Academy of Child and Adolescent Psychiatry. AACAP and APA pledge to work with FDA on determining prevalence of ADHD adverse medication events [monograph on the Internet]. Washington: AACAP; [updated 2006 Feb 9; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2006/0209.htm.

American Academy of Child and Adolescent Psychiatry. AACAP responds to the FDA advisory on atomoxetine [monograph on the Internet]. Washington: AACAP; [updated 2005 Oct 3; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2005/1003.htm.

American Academy of Child and Adolescent Psychiatry. AACAP state psychotropic medication update [monograph on the Internet]. Washington: AACAP; [updated 2004 Feb; cited 2006 Mar 30]. Available from: http://www.aacap.org/legislation/State/pdf/medsupupdate_02_04.pdf.

American Academy of Child and Adolescent Psychiatry. AACAP urges FDA to expand research on ADHD medications [monograph on the Internet]. Washington: AACAP; [updated 2006 Mar 22; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2006/0322.htm.

American Academy of Child and Adolescent Psychiatry. AACAP/APA testifies at senate hearing on FDA approval process and pediatric antidepressants [monograph on the Internet]. Washington: AACAP; [updated 2005 Mar 1; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2005/0301_2.htm.

American Academy of Child and Adolescent Psychiatry. Coalition offers resources to parents confronting antidepressant issue [monograph on the Internet]. Washington: AACAP; [updated 2005 Feb 1; cited 2006 Mar 22]. Available from: http://www.aacap.org/press_releases/2005/0201.htm.

Angermeyer MC, Matschinger H. Public attitudes towards psychotropic drugs: have there been any changes in recent years? Pharmacopsychiatry [abstract on the Internet]. 2004 Jul [cited 2006 May 3];37(4):152-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15467970&query_hl=2&itool=pubmed_docsum.

Antidepressants for young people. Can Fam Physician. 2004 Dec;50:1648.

Aparasu RR, Bhatara V. Antipsychotic prescribing trends among youths, 1997-2002. Psychiatr Serv. 2005 Aug;56(8):904.

Appelbaum PS. Psychopharmacology and the power of narrative. Am J Bioeth. 2005;5(3):48-9.

Australian Drug Evaluation Committee, Adverse Drug Reaction Advisory Committee. Use of SSRI antidepressants in children and adolescents - updated 15 October 2004 (replaces statement of 17 June 2004) [monograph on the Internet]. [updated 2004; cited 2006 Feb 17]. Available from: http://www.tga.gov.au/adr/adrac_ssri.pdf.

Bacaltchuk J, Hay P. Antidepressants versus placebo for people with bulimia nervosa [serial on the Internet]. Cochrane Library. Iss. 4; Art. No.: CD003391 [updated 2004; cited 2006 Feb 17]. Iss. 4; Art. No.: CD003391. Available from: <http://www.cochrane.org/cochrane/revabstr/AB003391.htm>.

Baldwin DS, Anderson IM, Nutt DJ, Bandelow B, Bond A, Davidson JR, et al. Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. J Psychopharmacol [serial on the Internet]. 2005 Nov [cited 2006 May 3];19(6):567-96. Available from: http://www.bap.org.uk/consensus/Anxiety_Disorder_Guidelines.pdf.

Ballard K, Elston MA. Medicalisation: a multi-dimensional concept. Social Theory & Health. 2005;3(3):228-41.

Barbe RP. Child psychopharmacology, effect sizes, and the big bang. Am J Psychiatry. 2005 Apr;162(4):817-8.

Barbui C, Tansella M. Editorial: New generation psychotropics and the automatism of prescribing. Int Rev Psychiatry. 2005;17(3):139-41.

Bauer AL, Ingersoll E, Burns L. School counselors and psychotropic medication: assessing training, experience, and school policy issues. Prof School Couns [serial on the Internet]. 2004 Feb 1 [cited 2006 May 3];7(3):202. Available from: http://www.findarticles.com/p/articles/mi_m0KOC/is_3_7/ai_114784736.

Beck CA, Williams JVA, Wang JL, Kassam A. Psychotropic medication use in Canada. Can J Psychiatr [serial on the Internet]. 2005 Sep [cited 2006 May 7];50(10):605. Available from: <http://www.cpa-apc.org/publications/archives/cjp/2005/september/cjp-sept-05-beck-6.pdf>.

Bennett K, Teeling M, Feely J. Overprescribing antidepressants to children: pharmacoepidemiological study in primary care. BMJ [serial on the Internet]. 2005 Dec 17 [cited 2006 Jan 23];331(7530):1451-2. Available from: <http://bmj.bmjournals.com/cgi/reprint/331/7530/1451>.

Bhatara V, Feil M, Hoagwood K, Vitiello B, Zima B. National trends in concomitant psychotropic medication with stimulants in pediatric visits: practice versus knowledge. J Atten Disord [serial on the

Internet]. 2004 May [cited 2006 Mar 5];7(4):217-26. Available from:
<http://jad.sagepub.com/cgi/reprint/7/4/217>.

Biederman J, McDonnell MA, Wozniak J, Spencer T, Aleardi M, Falzone R, et al. Aripiprazole in the treatment of pediatric bipolar disorder: a systematic chart review. *CNS Spectr* [serial on the Internet]. 2005 Feb [cited 2006 May 3];10(2):141-8. Available from: http://www.cnspectrums.com/pdf/art_638.pdf.

Biederman J, Spencer T, Wilens T. Evidence-based pharmacotherapy for attention-deficit hyperactivity disorder. *Int J Neuropsychopharmacol* [abstract on the Internet]. 2004 Mar [cited 2006 Mar 5];7(1):77-97. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14733627&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Biederman J, Faraone SV, Monuteaux MC, Grossbard JR. How informative are parent reports of attention-deficit/hyperactivity disorder symptoms for assessing outcome in clinical trials of long-acting treatments? A pooled analysis of parents' and teachers' reports. *Pediatrics* [serial on the Internet]. 2004 Jun [cited 2006 Mar 30];113(6):1667-71. Available from:
<http://pediatrics.aappublications.org/cgi/reprint/113/6/1667>.

Blair G, Strachan MK. Medicalization of unacceptable behaviors: Treatment, necessary or sufficient? *Journal of Forensic Psychology Practice*. 2005;5(3):89-98.

Bonati M, Clavenna A. The epidemiology of psychotropic drug use in children and adolescents. *Int Rev Psychiatry* [abstract on the Internet]. 2005 Jun [cited 2006 Mar 5];17(3):181-8. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16194789&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Bonati M, Clavenna A. The epidemiology of psychotropic drug use in children and adolescents. *Int Rev Psychiatry* [abstract on the Internet]. 2005 Jun [cited 2006 May 7];17(3):181. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16194789&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Bostic JQ, Rubin DH, Prince J, Schlozman S. Treatment of depression in children and adolescents. *J Psychiatr Pract* [abstract on the Internet]. 2005 May [cited 2006 Mar 5];11(3):141-54. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920388&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

BPC: understanding research to improve paediatric medicine use. *BPC: understanding research to improve paediatric medicine use. Chemist & Druggist*. 2004 Oct 2:36.

Brent DA. Antidepressants and pediatric depression--the risk of doing nothing. *N Engl J Med* [serial on the Internet]. 2004 Oct 14 [cited 2006 Mar 5];351(16):1598-601. Available from:
<http://content.nejm.org/cgi/reprint/351/16/1598.pdf?ijkey=QJH3xWkRfNlaE&keytype=ref&siteid=nejm>.

Brent DA, Birmaher B. British warnings on SSRIs questioned. *J Am Acad Child Adolesc Psychiatry*. 2004 Apr;43(4):379-80.

Brown RT, Amler RW, Freeman WS, Perrin JM, Stein MT, Feldman HM, et al. Treatment of attention-deficit/hyperactivity disorder: overview of the evidence. *Pediatrics* [serial on the Internet]. 2005 Jun [cited 2006 May 3];115(6):e749-e757. Available from:
<http://pediatrics.aappublications.org/cgi/reprint/115/6/e749>.

Charach A, Ickowicz A, Schachar R. Stimulant treatment over five years: adherence, effectiveness, and adverse effects. *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2004 May [cited 2006 May 7];43(5):559-67. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15100562&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Chen KW, Killeya-Jones LA, Vega WA. Prevalence and co-occurrence of psychiatric symptom clusters in the U.S. adolescent population using DISC predictive scales. *Clin Pract Epidemiol Ment Health* [serial on the Internet]. 2005 Oct 28 [cited 2006 Mar 30];1:22. Available from: <http://www.pubmedcentral.gov/picrender.fcgi?artid=1298317&blobtype=pdf>.

Child & Adolescent Bipolar Foundation. About pediatric bipolar disorder (timeline) [homepage on the Internet]. Wilmette, IL; 3-13-2006 [cited 2006 Apr 12]. Available from: http://www.bpkids.org/site/PageServer?pagename=lrn_about.

Children's Mental Health Policy Research Program (University of British Columbia). [Numbers on specialized services for children and adolescents experiencing mental health problems] [homepage on the Internet]. [updated 2006; cited 2006 Apr 6]. Available from: <http://www.childmentalhealth.ubc.ca/>.

Citizens Commission on Human Rights International. Report on the escalating international warnings on psychiatric drugs [monograph on the Internet]. Los Angeles: CCHR International; 2005 [cited 2006 Mar 23]. Available from: http://h11.protectedsite.net/files/8011/drug_report.pdf.

Citizens Commission on Human Rights International. U.S. bills & resolutions introduced or passed against coercive psychiatric labelling & drugging of children [homepage on the Internet]. Los Angeles: CCHR International; 2005 [cited 2006 Mar 23]. Available from: http://icspp.org/index.php?option=com_content&task=view&id=32&Itemid=45.

Clark AF. Incidences of new prescribing by British child and adolescent psychiatrists: a prospective study over 12 months. *J Psychopharmacol* [abstract on the Internet]. 2004 Mar [cited 2006 Mar 5];18(1):115-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15107194&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Cohen D. Clinical psychopharmacology trials: 'gold standard' or fool's gold? In: Kirk SA, editor. New York, NY: Columbia University Press; 2005. p. 347-67.

Conrad P. Prescribing more psychotropic medications for children: what does the increase mean? *Arch Pediatr Adolesc Med*. 2004 Aug;158(8):829-30.

Cooper WO, Hickson GB, Fuchs C, Arbogast PG, Ray WA. New users of antipsychotic medications among children enrolled in TennCare. *Arch Pediatr Adolesc Med* [abstract on the Internet]. 2004 Aug [cited 2006 Mar 5];158(8):753-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15289247&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Correll CU, Leucht S, Kane JM. Lower risk for tardive dyskinesia associated with second-generation antipsychotics: a systematic review of 1-year studies. *Am J Psychiatry* [serial on the Internet]. 2004 Mar [cited 2006 May 3];161(3):414-25. Available from: <http://ajp.psychiatryonline.org/cgi/reprint/161/3/414>.

Davidson S, Manion I. Youth and mental illness [homepage on the Internet]. Toronto: Canadian Psychiatric Association; [updated 2006; cited 2006 Mar 30]. Available from: <http://www.cpa-apc.org/MIAW/pamphlets/Youth.asp>.

Delate T, Gelenberg AJ, Simmons VA, Motheral BR. Trends in the use of antidepressants in a national sample of commercially insured pediatric patients, 1998 to 2002. *Psychiatr Serv* [serial on the Internet]. 2004 Apr [cited 2006 May 3];55(4):387-91. Available from: <http://ps.psychiatryonline.org/cgi/reprint/55/4/387>.

Demyttenaere K, Bruffaerts R, Posada-Villa J, Gasquet I, Kovess V, Lepine JP, et al. Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. JAMA [abstract on the Internet]. 2004 Jun 2 [cited 2006 May 3];291(21):2581-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15173149&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Depression; survey finds global rise in antidepressants prescribed to children. Health & Medicine Week [abstract on the Internet]. 2004 Dec 6 [cited 2006 May 7]:335. Available from: <http://www.newsrx.com/newsletters/Mental-Health-Weekly-Digest/2004-12-06/1206200433315MN.html>.

Derivan AT, Leventhal BL, March J, Wolraich M, Zito JM. The ethical use of placebo in clinical trials involving children. J Child Adolesc Psychopharmacol [abstract on the Internet]. 2004 [cited 2006 Mar 5];14(2):169-74. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15319014&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Dinca O. Systematic review of randomized controlled trials of atypical antipsychotics and selective serotonin reuptake inhibitors for behavioural problems associated with pervasive developmental disorders. J Psychopharmacol (Oxf) [abstract on the Internet]. 2005 Sep [cited 2006 May 7];19(5):521-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16166190&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Doggett AM. ADHD and drug therapy: is it still a valid treatment? J Child Health Care [serial on the Internet]. 2004 Mar [cited 2006 May 3];8(1):69-81. Available from: <http://chc.sagepub.com/cgi/reprint/8/1/69>.

Donnelly M, Haby MM, Carter R, Andrews G, Vos T. Cost-effectiveness of dexamphetamine and methylphenidate for the treatment of childhood attention deficit hyperactivity disorder. Aust N Z J Psychiatry. 2004;38(8):592-601.

DosReis S, Owens PL, Puccia KB, Leaf PJ. Multimodal treatment for ADHD among youths in three Medicaid subgroups: disabled, foster care, and low income. Psychiatr Serv [serial on the Internet]. 2004 Sep [cited 2006 Mar 5];55(9):1041-8. Available from: <http://ps.psychiatryonline.org/cgi/reprint/55/9/1041>.

DosReis S, Zito JM, Safer DJ, Gardner JF, Puccia KB, Owens PL. Multiple psychotropic medication use for youths: a two-state comparison. J Child Adolesc Psychopharmacol [abstract on the Internet]. 2005 Feb [cited 2006 May 3];15(1):68-77. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741788&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Doughty C. The effectiveness of mental health promotion, prevention and early intervention in children, adolescents and adults: a critical appraisal of the literature [monograph on the Internet]. 2005 [cited 2006 Apr 2]. Available from: http://nzhta.chmeds.ac.nz/publications/finalmhp7_05.pdf.

DSM-IV: conduct disorder [monograph on the Internet]. BraveNet-Clinical Capsule. [updated 2006; cited 2006 Apr 13]. Available from: <http://www.behavenet.com/capsules/disorders/cndctd.htm>.

Dunbar F, Kusumakar V, Daneman D, Schulz M. Growth and sexual maturation during long-term treatment with risperidone. Am J Psychiatry [serial on the Internet]. 2004 May [cited 2006 May 3];161(5):918-20. Available from: <http://ajp.psychiatryonline.org/cgi/reprint/161/5/918>.

Emslie GJ, Ryan ND, Wagner KD. Major depressive disorder in children and adolescents: clinical trial design and antidepressant efficacy. *J Clin Psychiatry* [serial on the Internet]. 2005 [cited 2006 May 3];66 Suppl 7:14-20. Available from: <http://www.psychiatrist.com/supplenet/v66s07/v66s0703.pdf>.

Emslie GJ, Ryan ND, Wagner KD. Major depressive disorder in children and adolescents: clinical trial design and antidepressant efficacy. *J Clin Psychiatry* [abstract on the Internet]. 2005 [cited 2006 May 3];66 Suppl 7:14-20. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16124837&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

European Medicines Agency. European Medicines Agency finalises review of antidepressants in children and adolescents [monograph on the Internet]. Doc. Ref. EMEA/CHMP/128918/2005 corr London: European Medicines Agency; [updated 2005 Apr 25; cited 2006 Feb 17]. Doc. Ref. EMEA/CHMP/128918/2005 corr. Available from: <http://www.emea.eu.int/pdfs/human/press/pr/12891805en.pdf>.

Federal Interagency Forum on Child and Family Statistics. Backgrounder: parents report estimated 2.7 million children with emotional and behavioral problems [monograph on the Internet]. [updated 2005 Jul 20; cited 2006 Mar 21]. Available from: http://www.nimh.nih.gov/healthinformation/childhood_indicators.cfm.

Federal Interagency Forum on Child and Family Statistics (U.S.). Parental reports of emotional and behavioral difficulties. [monograph on the Internet]. In: *America's Children: Key National Indicators of Well-Being*. [S.l.]: Federal Interagency Forum on Child and Family Statistics; 2005 [cited 2006 Mar 21]. Available from: <http://www.childstats.gov/americaschildren/spe3.asp>.

Fewster G. If you meet the pill fairy along the road, kill it: medicating children with psychotropic drugs. *Relational Child Youth Pract* [serial on the Internet]. 2004 [cited 2006 May 7];17(1):3. Available from: <http://www.cyc-net.org/Journals/rcycp17-1.html>.

Findling RL, Nucci G, Piergies AA, Gomeni R, Bartolic EI, Fong R, et al. Multiple dose pharmacokinetics of paroxetine in children and adolescents with major depressive disorder or obsessive-compulsive disorder. *Neuropsychopharmacology* [abstract on the Internet]. 2005 Nov 23 [cited 2006 Mar 5] Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16319918&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Florida behavioral health collaborative to facilitate implementation of best practice guidelines for behavioral health medications. *Business Wire* [monograph on the Internet]. 2005 Feb 23 [cited 2006 May 7]:1. Available from: http://www.findarticles.com/p/articles/mi_m0EIN/is_2005_Feb_23/ai_n10020359.

Food and Drug Administration (U.S.). Antidepressant use in children, adolescents, and adults [homepage on the Internet]. [updated 2006; cited 2006 Mar 30]. Available from: <http://www.fda.gov/cder/drug/antidepressants/default.htm>.

French JA, Kanner AM, Bautista J, Abou-Khalil B, Browne T, Harden CL, et al. Efficacy and tolerability of the new antiepileptic drugs, I: Treatment of new-onset epilepsy: report of the TTA and QSS Subcommittees of the American Academy of Neurology and the American Epilepsy Society. *Epilepsia* [serial on the Internet]. 2004 May [cited 2006 Mar 5];45(5):401-9. Available from: <http://www.blackwell-synergy.com/doi/full/10.1111/j.0013-9580.2004.06204.x>.

Gardner L. Psychotropic drug prescriptions for teens surge 250% over 7 year period, USA [serial on the Internet]. *Medical news today*. [updated 2006 Jan 3; cited 2006 Feb 16]. Available from: <http://www.medicalnewstoday.com/medicalnews.php?newsid=35656>.

Garland EJ. Facing the evidence: antidepressant treatment in children and adolescents. CMAJ [serial on the Internet]. 2004 Feb 17 [cited 2006 May 3];170(4):489-91. Available from: <http://www.cmaj.ca/cgi/reprint/170/4/489.pdf>.

Garland EJ. Selective serotonin re-uptake inhibitors [monograph on the Internet]. Vancouver, BC: Mood and Anxiety Disorders Clinic, Department of Psychiatry, British Columbia's Children's Hospital; [updated 2004; cited 2006 Mar 30]. Available from: https://www.cpsbc.ca/cps/physician_resources/physician_education/clinical_practice_guidelines/mood_anxiety_disorder_clinic.

Geraud G, Lanteri-Minet M, Lucas C, Valade D. French guidelines for the diagnosis and management of migraine in adults and children. Clin Ther [abstract on the Internet]. 2004 Aug [cited 2006 Mar 5];26(8):1305-18. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15476911&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Glazener CM, Evans JH. Simple behavioural and physical interventions for nocturnal enuresis in children. Cochrane Database Syst Rev [abstract on the Internet]. 2004 [cited 2006 Mar 5](2):CD003637. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15106210&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Greene F. Psychiatric drugs for kids overprescribed. Share 2004 Jul 1 ;2.

Greenhill LL, Vitiello B, Fisher P, Levine J, Davies M, Abikoff H, et al. Comparison of increasingly detailed elicitation methods for the assessment of adverse events in pediatric psychopharmacology. J Am Acad Child Adolesc Psychiatry [abstract on the Internet]. 2004 Dec [cited 2006 Mar 5];43(12):1488-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15564818&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Greenhill L. Testimony at the American Academy of Child and Adolescent Psychiatry: FDA Pediatric Advisory Committee meeting, March 22, 2006 [monograph on the Internet]. Washington: American Academy of Child and Adolescent Psychiatry; [updated 2006 Mar 22; cited 6 A.D. Mar 23]. Available from: http://www.aacap.org/Announcements/PDFs/Greenhill_Testimony_0306.pdf.

Griffith D. Study: kids' mental health care mixed. The Sacramento Bee 2005 Jan 20 ;A 1.

Gruttadaro DE, Miller JE. Children and psychotropic medicine: task force report June 2004 [monograph on the Internet]. Arlington, VA: NAMI Policy Research Institute; 2004 [cited 2006 Feb 16]. Available from: <http://www.nami.org/Template.cfm?Section=Other&Template=/ContentManagement/ContentDisplay.cfm&ContentID=15860>.

Hamilton JD. Evidence-based thinking and the alliance with parents. J Am Acad Child Adolesc Psychiatry [abstract on the Internet]. 2004 Jan [cited 2006 May 7];43(1):105. Available from: http://eric.ed.gov/ERICWebPortal/Home.portal?_nfpb=true&ERICExtSearch_SearchValue_0=Evidence-based+thinking+and+the+alliance+with+parents&ERICExtSearch_SearchType_0=ti&pageLabel=ERICSearchResult&newSearch=true&rnd=1147127555838&searchtype=basic.

Hamrin V, Pachler MC. Depression in children and adolescents: the latest evidence-based psychopharmacological treatments. J Psychosoc Nurs Ment Health Serv. 2004 Apr;42(4):10-5.

Hamrin V, Scahill L. Selective serotonin reuptake inhibitors for children and adolescents with major depression: current controversies and recommendations. Issues Ment Health Nurs [abstract on the Internet]. 2005 May [cited 2006 May 3];26(4):433-50. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16020058&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Hansen JT. Truth or consequences: a neopragmatic critique of contemporary mental health culture. *Journal of Mental Health Counseling*. 2005;27(3):210-20.

Harming youth: the suppression of young minds: report and recommendations on the destructive mental health assessments, evaluations and programs within our schools. [monograph on the Internet]. In: The definition of a "mental disorder". [S.l.]: Psych Drug Truth; 2006[cited 2006 Apr 12]. Available from: http://www.prozactruth.com/education_youth.htm.

Haslam N. Creating mental illness. *Transcultural Psychiatry*. 2004;41(3):414-6.

Hazell P. Depression in children and adolescents. *Clin Evid*. 2004 Dec(12):427-42.

Hazell P. Depression in children and adolescents. *Clin Evid*. 2004 Jun(11):391-402.

Hazell P. Depression in children and adolescents. *Clin Evid*. 2005 Jun(13):329-42.

Hegmann T. The case of the missing evidence: antidepressant use in children. *JAAPA*. 2004 Sep;17(9):15-6.

Herxheimer A, Mintzes B. Antidepressants and adverse effects in young patients: uncovering the evidence. *CMAJ* [serial on the Internet]. 2004 Feb 17 [cited 2006 Mar 22];170(4):487-9. Available from: <http://www.cmaj.ca/cgi/reprint/170/4/487>.

Holzbach R. Practice to research: use of benzodiazepines and adjunctive medications. *Curr Opin Psychiatry*. 2004 Nov;17(6):519.

Horwitz AV. Pathological child psychiatry and the medicalization of childhood. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2004;43(1):112-3.

Hunkeler EM, Fireman B, Lee J, Diamond R, Hamilton J, He CX, et al. Trends in use of antidepressants, lithium, and anticonvulsants in Kaiser Permanente-insured youths, 1994-2003. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2005 Feb [cited 2006 Mar 5];15(1):26-37. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741783&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Ingersoll RE, Bauer A, Burns L. Children and psychotropic medication: what role should advocacy counseling play? *J Couns Dev* [abstract on the Internet]. 2004 Jun 22 [cited 2006 May 3];82(3):337. Available from: http://eric.ed.gov/ERICWebPortal/Home.portal?_nfpb=true&_pageLabel=RecordDetails&ERICExtSearch_SearchValue_0=EJ698358&ERICExtSearch_SearchType_0=eric_accno&objectId=0900000b8034c31e.

Isbister GK, Balit CR, Kilham HA. Antipsychotic poisoning in young children: a systematic review. *Drug Saf* [abstract on the Internet]. 2005 [cited 2006 Mar 5];28(11):1029-44. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16231955&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Jackim LW. The medication solution: tapering down. *Behav Healthc Tomorrow*. 2004 Dec;13(6):15-9.

Janssen B, Weinmann S, Berger M, Gaebel W. Validation of polypharmacy process measures in inpatient schizophrenia care. *Schizophr Bull* [abstract on the Internet]. 2004 [cited 2006 May 3];30(4):1023-33. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15954205&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Jellinek MS. Making safety data available. *J Am Acad Child Adolesc Psychiatry*. 2004 Oct;43(10):1189.

Jensen CE. Medication for children with attention deficit hyperactivity disorder. *Clin Soc Work J* [abstract on the Internet]. 2004 [cited 2006 May 7];32(2):197-214. Available from: [http://www.springerlink.com/\(smn111qzqmugd55gp11er55\)/app/home/contribution.asp?referrer=parent&backto=issue,7,12;journal,10,135;linkingpublicationresults,1:104850,1](http://www.springerlink.com/(smn111qzqmugd55gp11er55)/app/home/contribution.asp?referrer=parent&backto=issue,7,12;journal,10,135;linkingpublicationresults,1:104850,1).

Jureidini JN, Doecke CJ, Mansfield PR, Haby MM, Menkes DB, Tonkin AL. Efficacy and safety of antidepressants for children and adolescents. *BMJ* [serial on the Internet]. 2004 Apr 10 [cited 2006 Mar 30];328(7444):879-83. Available from: <http://bmj.bmjournals.com/cgi/reprint/328/7444/879>.

Kluger J. Medicating young minds: drugs have become increasingly popular for treating kids with mood and behavior problems; but how will that affect them in the long run? *Time* [serial on the Internet]. 2004 Jan 19 [cited 2006 May 7];163(3):38. Available from: <http://www.indplsbbparents.org/MedicatingYoungMinds.PDF>.

Koganzon R. What's wrong with fidgety Phil? changing perceptions of attention deficit disorder, 1950-1980 [monograph on the Internet]. [S.l.]: [S.n.]; [updated 2006 Oct 23; cited 2006 Mar 30]. Available from: <http://home.uchicago.edu/~koganzon/papers/>.

Kogut SJ, Yam F, Dufresne R. Prescribing of antipsychotic medication in a medicaid population: use of polytherapy and off-label dosages. *J Manag Care Pharm* [serial on the Internet]. 2005 Jan [cited 2006 Mar 5];11(1):17-24. Available from: http://www.amcp.org/data/jmcp/Research_17-21.pdf.

Koplewicz HS. Misguided resistance to appropriate treatment for adolescent depression. *J Child Adolesc Psychopharmacol*. 2004;14(1):vii.

Koppelman J. The provider system for children's mental health: workforce capacity and effective treatment. *NHPF Issue Brief* [abstract on the Internet]. 2004 Oct 26 [cited 2006 Mar 5](801):1-18. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15529474&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Kowatch RA, Fristad M, Birmaher B, Wagner KD, Findling RL, Hellander M. Treatment guidelines for children and adolescents with bipolar disorder. *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2005 Mar [cited 2006 May 3];44(3):213-35. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15725966&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Kratochvil CJ, Lake M, Pliszka SR, Walkup JT. Pharmacological management of treatment-induced insomnia in ADHD. *J Am Acad Child Adolesc Psychiatry*. 2005 May;44(5):499-501.

Kratochvil CJ, Egger H, Greenhill LL. Pharmacological management of preschool ADHD. *J Am Acad Child Adolesc Psychiatry*. 2006 Jan;45(1):115-8.

Krause IB. Pathological child psychiatry and the medicalisation of childhood. *Int J Soc Psychiatry*. 2004;50(1):92.

Leon AC, Marzuk PM, Tardiff K, Teres JJ. Paroxetine, other antidepressants, and youth suicide in New York City: 1993 through 1998. *J Clin Psychiatry* [abstract on the Internet]. 2004 Jul [cited 2006 Mar 5];65(7):915-8. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15291679&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Lewis D, Ashwal S, Hershey A, Hirtz D, Yonker M, Silberstein S. Practice parameter: pharmacological treatment of migraine headache in children and adolescents: report of the American Academy of Neurology Quality Standards Subcommittee and the Practice Committee of the Child Neurology Society. *Neurology* [serial on the Internet]. 2004 Dec 28 [cited 2006 May 3];63(12):2215-24. Available from: <http://www.neurology.org/cgi/reprint/63/12/2215>.

Licinio J, Wong M-L. Depression, antidepressants and suicidality: a critical appraisal. *Nature Reviews: Drug Discovery* [serial on the Internet]. 2005 [cited 2006 Mar 3];4(2):165-72. Available from: <http://149.142.238.229/pgxlab/docs/nrd0205-licinio-final.pdf>.

Lin SJ, Crawford SY, Lurvey PL. Trend and area variation in amphetamine prescription usage among children and adolescents in Michigan. *Soc Sci Med* [abstract on the Internet]. 2005 Feb [cited 2006 May 7];60(3):617-26. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15550309&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Lock J, Walker LR, Rickert VI, Katzman DK, Society for Adolescent Medicine. Suicidality in adolescents being treated with antidepressant medications and the black box label: position paper of the Society for Adolescent Medicine. *J Adolesc Health* [serial on the Internet]. 2005 [cited 2006 Mar 30];36(1):92-3. Available from: http://www.adolescenthealth.org/PositionPaper_Suicidality_in_Adolescents_being_Treated_with_Antidepressant_Medications_and_the_Black_Box_Label.pdf.

Ludwig J, Marcotte DE. Anti-depressants, suicide, and drug regulation. *J Policy Anal Manage* [abstract on the Internet]. 2005 Mar [cited 2006 Mar 5];24(2):249-72. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15776534&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Lyons JS, MacIntyre JC, Lee ME. Psychotropic medications prescribing patterns for children and adolescents in New York's public mental health system. *Community Ment Health J* [abstract on the Internet]. 2004 Apr [cited 2006 May 7];40(2):101-18. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15206636&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Lyth N, Bosson S. Nocturnal enuresis. *Clin Evid*. 2004 Jun(11):468-77.

Ma J, Lee KV, Stafford RS. Depression treatment during outpatient visits by U.S. children and adolescents. *J Adolesc Health* [serial on the Internet]. 2005 Dec [cited 2006 May 3];37(6):434-42. Available from: http://iis-db.stanford.edu/pubs/21004/Depression_treatment_during_outpatient_visits.pdf.

MacGowan MJ. Psychosocial treatment of youth suicide: a systematic review of the research. *Res Soc Work Pract* [serial on the Internet]. 2004 May [cited 2006 Feb 17];14(3):147-62.

Magellan Health Services supports advocacy group's report on children's mental health; Magellan efforts increase access to care and improve treatment for children. *Business Wire* [monograph on the Internet]. 2004 Jul 12 [cited 2006 May 7]:1. Available from: http://www.findarticles.com/p/articles/mi_m0EIN/is_2004_July_12/ai_n6101968.

Magellan Health Services pharmacy work group addresses prescribing of antipsychotic medications to children. *Business Wire* [monograph on the Internet]. 2005 Dec 8 [cited 2006 May 7]:1. Available from: <http://www.forbes.com/execpicks/businesswire/feeds/businesswire/2005/12/08/businesswire20051208005830r1.html>.

Malone RP, Gratz SS, Delaney MA, Hyman SB. Advances in drug treatments for children and adolescents with autism and other pervasive developmental disorders. *CNS Drugs* [abstract on the Internet]. 2005 [cited 2006 Mar 5];19(11):923-34. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16268664&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Mansfield PR, Raven MK, Jureidini JN. Depressed youth, suicidality and antidepressants. *Med J Aust*. 2005 Sep 5;183(5):275.

March JS, Silva SG, Compton S, Anthony G, DeVeugh-Geiss J, Califf R, et al. The Child and Adolescent Psychiatry Trials Network (CAPTN). *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2004 May [cited 2006 Mar 5];43(5):515-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15100557&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Martin A, Gilliam WS, Bostic JQ, Rey JM. Child psychopharmacology, effect sizes, and the big bang. *Am J Psychiatry*. 2005 Apr;162(4):817-9.

Matharu LM, Ashley PF. Sedation of anxious children undergoing dental treatment. *Cochrane Database Syst Rev* [abstract on the Internet]. 2005 [cited 2006 May 3](2):CD003877. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846685&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Mayes R, Horwitz AV. DSM-III and the revolution in the classification of mental illness. *J Hist Behav Sci* [abstract on the Internet]. 2005 [cited 2006 May 7];41(3):249-67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15981242&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

McConville BJ, Sorter MT. Treatment challenges and safety considerations for antipsychotic use in children and adolescents with psychoses. *J Clin Psychiatry* [abstract on the Internet]. 2004 [cited 2006 May 3];65 Suppl 6:20-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15104523&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

McElroy SL, Kotwal R, Keck PE, Jr., Akiskal HS. Comorbidity of bipolar and eating disorders: distinct or related disorders with shared dysregulations? *J Affect Disord* [abstract on the Internet]. 2005 Jun [cited 2006 May 3];86(2-3):107-27. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15935230&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

McLeod JD, Pescosolido BA, Takeuchi DT, White TF. Public attitudes toward the use of psychiatric medications for children. *J Health Soc Behav* [abstract on the Internet]. 2004 Mar [cited 2006 May 7];45(1):53-67. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15179907&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

MedicineNet. [Online medical dictionary] [homepage on the Internet]. [updated 2006; cited 2006 Apr 13]. Available from: <http://www.medterms.com/script/main/art.asp?articlekey=30807>.

Miller AR, Lalonde CE, McGrail KM. Children's persistence with methylphenidate therapy: a population-based study. *Can J Psychiatry* [serial on the Internet]. 2004 Nov [cited 2006 May 3];49(11):761-8. Available from: <http://www.cpa-apc.org/publications/archives/cjp/2004/november/miller.asp>.

Miller AR, Johnston C, Klassen AF, Fine S, Papsdorf M. Family physicians' involvement and self-reported comfort and skill in care of children with behavioral and emotional problems: a population-based survey.

BMC Fam Pract [serial on the Internet]. 2005 Mar 11 [cited 2006 Mar 30];6(1):12. Available from: <http://www.pubmedcentral.gov/picrender.fcgi?artid=1079811&blobtype=pdf>.

Miller AR, Brehaut JC, Raina P, McGrail KM, Armstrong RW. Use of medical services by methylphenidate-treated children in the general population. *Ambul Pediatr* [abstract on the Internet]. 2004 Mar [cited 2006 May 3];4(2):174-80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15018602&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Mood and Anxiety Disorders Clinic (BC's Children's Hospital). Selective serotonin reuptake inhibitors in children and adolescents [monograph on the Internet]. Vancouver, BC: Mood and Anxiety Disorders Clinic, Department of Psychiatry, British Columbia's Children's Hospital; [updated 2004; cited 2006 Mar 30]. Available from: https://www.cpsbc.ca/resources/cps/physician_resources/physician_education/clinical_practice_guideline_s/mood_anxiety_disorder_clinic/document_uploads/ssri_form.pdf.

Murray ML, de Vries CS, Wong IC. A drug utilisation study of antidepressants in children and adolescents using the General Practice Research Database. *Arch Dis Child* [serial on the Internet]. 2004 Dec [cited 2006 Mar 30];89(12):1098-102. Available from: <http://adc.bmjournals.com/cgi/reprint/89/12/1098>.

Murray ML, Wong IC, Thompson M. Do selective serotonin reuptake inhibitors cause suicide? Antidepressant prescribing to children and adolescents by GPs has fallen since CSM advice. *BMJ*. 2005 May 14;330(7500):1151.

Najjar F, Welch C, Grapentine WL, Sachs H, Siniscalchi J, Price LH. Trends in psychotropic drug use in a child psychiatric hospital from 1991-1998. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2004 [cited 2006 Mar 5];14(1):87-93. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15142395&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

National Conference of State Legislatures (U.S.). Psychotropic medications at schools: states that passed legislation in the 2004 session [monograph on the Internet]. [updated 2005; cited 2006 Feb 16]. Available from: <http://www.ncsl.org/programs/health/ritalin.htm>.

National Institute for Health and Clinical Excellence. Depression in children: identification and management of depression in children and young people in primary, community and secondary care; scope document [monograph on the Internet]. 2005 [cited 2006 Mar 23]. Available from: http://www.nice.org.uk/pdf/Scope_Depression_Child.pdf.

National Institute for Health and Clinical Excellence. Depression in children: identification and management of depression in children and young people in primary, community and secondary care: second draft for consultation [monograph on the Internet]. NICE; 2005 [cited 2006 Mar 23]. Available from: http://www.nice.org.uk/pdf/Depn_Child_2ndcons_%20App_P.pdf.

National Institute for Health and Clinical Excellence (Great Britain), National Collaborating Centre for Mental Health (Great Britain). Depression in children and young people: identification and management in primary, community and secondary care; full guideline [monograph on the Internet]. Leicester; London: The British Psychological Society and The Royal College of Psychiatrists; 2005 [cited 2006 Mar 30]. Available from: <http://www.nice.org.uk/page.aspx?o=cg028guidance>.

National Institute for Health and Clinical Excellence (Great Britain), National Collaborating Centre for Mental Health (Great Britain). Depression in children and young people: identification and management in primary, community and secondary care; NICE guideline [monograph on the Internet]. London: NICE; 2005 [cited 2006 Mar 30]. Available from: <http://www.nice.org.uk/page.aspx?o=cg028niceguideline>.

National Institute for Health and Clinical Excellence (Great Britain), National Collaborating Centre for Mental Health (Great Britain). Depression in children and young people: identification and management in primary, community and secondary care; quick reference guide [monograph on the Internet]. London: NICE; 2005 [cited 2006 Mar 30]. Available from: <http://www.nice.org.uk/page.aspx?o=cg028quickrefguide>.

National Institute for Health and Clinical Excellence (Great Britain), National Collaborating Centre for Mental Health (Great Britain). Depression in children and young people: identification and management in primary, community and secondary care; presenter slides [monograph on the Internet]. London: NICE; 2005 [cited 2006 Mar 30].

National Institute for Clinical Excellence. Depression in children and young people: identification and management in primary, community and secondary care [monograph on the Internet]. London: National Institute for Clinical Excellence (NICE); 2005 [cited 2006 Apr 10]. Available from: <http://www.nice.org.uk/page.aspx?o=273124>.

National Institute for Clinical Excellence. Eating disorders: core interventions in the treatment and management of anorexia nervosa, bulimia nervosa and related eating disorders [monograph on the Internet]. London: National Institute for Clinical Excellence (NICE); 2004 [cited 2006 Apr 10]. Available from: <http://www.nice.org.uk/cat.asp?c=101239>.

National Institute for Clinical Excellence. Methylphenidate, atomoxetine and dexamfetamine for attention deficit hyperactivity disorder (ADHD) in children and adolescents: review of Technology Appraisal 13 [monograph on the Internet]. London: NICE; 2006 [cited 2006 Mar 30]. Report No. TA98. Available from: <http://www.nice.org.uk/page.aspx?o=297198>.

National Institute of Mental Health (NIMH). Antidepressant medications for children and adolescents: information for parents and caregivers [monograph on the Internet]. Bethesda: NIMH; [updated 2006; cited 2006 Mar 30]. Available from: http://www.nimh.nih.gov/healthinformation/antidepressant_child.cfm.

National Institute of Mental Health (U.S.). Medications chart. [monograph on the Internet]. In: Treatment of children with mental disorders. Washington: NIMH; 2004 [cited 2006 Mar 21]. Available from: <http://www.nimh.nih.gov/publicat/NIMHchildqa.pdf>.

National Institute of Mental Health (U.S.). NIMH research on treatment for adolescents with depression study (TADS): combination treatment most effective in adolescents with depression [monograph on the Internet]. [updated 2004 Aug 17; cited 2006 Mar 21]. Available from: <http://www.nimh.nih.gov/press/prtads.cfm>.

National Institute of Mental Health. The numbers count: mental disorders in America: a summary of statistics describing the prevalence of mental disorders in America. [homepage on the Internet]. NIH Publication No. 06-4584 Washington: NIMH; [updated 2006; cited 2006 Mar 30]. NIH Publication No. 06-4584. Available from: <http://www.nimh.nih.gov/publicat/numbers.cfm#Intro>.

Neef NA, Bicard DF, Endo S. Evaluation of pharmacological treatment of impulsivity in children with attention deficit hyperactivity disorder. J Appl Behav Anal [serial on the Internet]. 2005 [cited 2006 Mar 30];38(2):135-46. Available from: <http://www.pubmedcentral.gov/picrender.fcgi?artid=1226151&blobtype=pdf>.

New studies show antiepileptic drug keppra benefits children and adults with bipolar and aggressive disorders. PR Newswire [serial on the Internet]. 2004 May 4 [cited 2006 May 7]:1. Available from: http://www.findarticles.com/p/articles/mi_pwwi/is_200405/ai_mark2938477421.

Olfson M, Marcus SC, Wan GJ, Geissler EC. National trends in the outpatient treatment of anxiety disorders. J Clin Psychiatry [abstract on the Internet]. 2004 Sep [cited 2006 Mar 5];65(9):1166-73.

Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15367042&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Parry TS. Assessment of developmental learning and behavioural problems in children and young people. *Med J Aust* [serial on the Internet]. 2005 Jul 4 [cited 2006 May 3];183(1):43-8. Available from: http://www.mja.com.au/public/issues/183_01_040705/par10304_fm.pdf.

Patel NC, Crismon ML, Hoagwood K, Johnsrud MT, Rascati KL, Wilson JP. Physician specialty associated with antipsychotic prescribing for youths in the Texas Medicaid program. *Med Care* [abstract on the Internet]. 2006 Jan [cited 2006 Mar 5];44(1):87-90. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16365617&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Patel NC, Crismon ML, Hoagwood K, Johnsrud MT, Rascati KL, Wilson JP, et al. Trends in the use of typical and atypical antipsychotics in children and adolescents. *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2005 Jun [cited 2006 Mar 5];44(6):548-56. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15908837&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Patel NC, Crismon ML, Hoagwood K, Jensen PS. Unanswered questions regarding atypical antipsychotic use in aggressive children and adolescents. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2005 Apr [cited 2006 May 3];15(2):270-84. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15910211&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Patel NC. Antipsychotic use in children and adolescents from 1996 to 2001: epidemiology, prescribing practices, and relationships with service utilization [dissertation]. The University of Texas at Austin; 2004 [cited 2006 May 7]. Available from: <http://www.lib.utexas.edu/etd/d/2004/pateln39721/pateln39721.pdf>.

Peveler R, Kendrick T, Buxton M, Longworth L, Baldwin D, Moore M, et al. A randomised controlled trial to compare the cost-effectiveness of tricyclic antidepressants, selective serotonin reuptake inhibitors and lofepramine. *Health Technol Assess* [serial on the Internet]. 2005 May [cited 2006 May 3];9(16):1-134, iii. Available from: <http://www.ncchta.org/fullmono/mon916.pdf>.

Pills for children: how they work. *Time*. 2004 Jan 19;163(3):42.

Pirani C. Child drugs linked to heart attack. *The Australian* 2006 Mar 27 [cited 2006 Mar 27]. Available from: http://www.theaustralian.news.com.au/common/story_page/0,5744,18614238%255E2702,00.html.

Pruitt DB, Kiser LJ. Pharmacologic trends in behavioral health: psychiatric polypharmacy and children. *Behav Health Manage*. 2004 Sep;24(5):S1.

Psychotropic drugs and children: use, trends, and implications for schools [monograph on the Internet]. (Revised December 2004) Washington: The Center for Health and Health Care in Schools, The George Washington University; [updated 2004; cited 2006 Feb 15]. Available from: <http://www.healthinschools.org/sh/psychotropic.pdf>.

Radigan M, Lannon P, Roohan P, Gesten F. Medication patterns for attention-deficit/hyperactivity disorder and comorbid psychiatric conditions in a low-income population. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2005 Feb [cited 2006 May 3];15(1):44-56. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741785&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Raghavan R, Zima BT, Andersen RM, Leibowitz AA, Schuster MA, Landsverk J. Psychotropic medication use in a national probability sample of children in the child welfare system. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2005 Feb [cited 2006 May 3];15(1):97-106. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741791&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Rajeev J, Srinath S, Girimaji S, Seshadri SP, Singh P. A systematic chart review of the naturalistic course and treatment of early-onset bipolar disorder in a child and adolescent psychiatry center. *Compr Psychiatry* [abstract on the Internet]. 2004 Mar [cited 2006 Mar 5];45(2):148-54. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14999666&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Raven M, Rogers W, Jureidini J. Partnerships between academic psychiatry and the pharmaceutical industry. *Australas Psychiatry*. 2005 Mar;13(1):83-4.

Raz A. Perspectives on the efficacy of antidepressants for child and adolescent depression. *PLoS Med* [serial on the Internet]. 2006 [cited 2006 Feb 17];3(1):e9. Available from: http://medicine.plosjournals.org/archive/1549-1676/3/1/pdf/10.1371_journal.pmed.0030009-S.pdf.

Reyes M, Buitelaar J, Toren P. A randomized, double-blind, placebo-controlled study of risperidone maintenance treatment in children and adolescents with disruptive behavior disorders. *Am J Psychiatry* [abstract on the Internet]. 2006 Mar [cited 2006 May 7];163(3):402-10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513860&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Rifkin A, Rifkin W. Adolescents with depression. *JAMA*. 2004 Dec 1;292(21):2577-8.

Romeo R, Byford S, Knapp M. Annotation: Economic evaluations of child and adolescent mental health interventions: a systematic review. *J Child Psychol Psychiatry* [abstract on the Internet]. 2005 Sep [cited 2006 Mar 5];46(9):919-30. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108995&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Rosenberg M. Mental illness and addiction issue brief: psychotropic medication and children: year end report-2004. *Issue Brief Health Policy Track Serv*. 2004 Dec 31:1-7.

Ryan EP, Redding RE. A review of mood disorders among juvenile offenders. *Psychiatr Serv* [serial on the Internet]. 2004 Dec [cited 2006 May 3];55(12):1397-407. Available from: <http://ps.psychiatryonline.org/cgi/reprint/55/12/1397>.

Ryan JB, Reid R, Epstein MH, Ellis C, Evans JH. Pharmacological intervention research for academic outcomes for students with ADHD. *Behav Disord*. 2005 Feb;30(2):135.

Safer DJ, Zito JM, Gardner JF. Comparative prevalence of psychotropic medications among youths enrolled in the SCHIP and privately insured youths. *Psychiatr Serv* [serial on the Internet]. 2004 Sep [cited 2006 Mar 30];55(9):1049-51. Available from: <http://ps.psychiatryonline.org/cgi/reprint/55/9/1049>.

Schmitt R, Gazalle FK, Silva de Lima M, Cunha A, Souza J, Kapczinski F. The efficacy of antidepressants for generalized anxiety disorder: a systematic review and meta-analysis. *Rev Bras Psiquiatr* [serial on the Internet]. 2005 [cited 2006 Feb 17];27(1):18-24. Available from: <http://www.scielo.br/pdf/rbp/v27n1/23708.pdf>.

Sen. Dawson fights for children and parents in the war against psychotropic drugs and mind-altering substances. *Westside Gazette* 2004 Apr 28;3B.

Sharav VH. Author responds to letters on "Children in clinical research: a conflict of moral values" (AJOB 3:1). *Am J Bioeth*. 2004;4(1):W36-W37.

Sharav VH. Author response to letter regarding "Children in clinical research: a conflict of moral values" (AJOB 3:1). *Am J Bioeth* [serial on the Internet]. 2004 [cited 2006 Mar 30];4(3):W35-W37. Available from: <http://taylorandfrancis.metapress.com/media/ba750puuwg2vt5k3jmfk/contributions/7/t/6/f/7t6f4xn52adu3jyf.pdf>.

Sharav VH. Screening for mental illness: the merger of eugenics and the drug industry. *Ethical Hum Psychol Psychiatry* [serial on the Internet]. 2005 [cited 2006 Mar 30];7(2):111-24. Available from: <http://www.ahrp.org/testimonypresentations/ScreeningSharavEHPP.php>.

Sharav VH. Where is the scientific evidence to justify exposing children to the risks of antidepressant drugs? [monograph on the Internet]. New York: Alliance for Human Research Protection (AHRP); 2004 [cited 2006 Mar 30]. Available from: <http://www.ahrp.org/risks/SSRI0204/AHRP.php>.

Short EJ, Manos MJ, Findling RL. A prospective study of stimulant response in preschool children: insights from ROC analyses. *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2004 Mar [cited 2006 May 7];43(3):251-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15076257&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Silva RR. Psychopharmacology news. *J Child Adolesc Psychopharmacol*. 2004;14(1):1-2.

Singh I. Doing their jobs: mothering with Ritalin in a culture of mother-blame. *Social Science & Medicine* [abstract on the Internet]. 2004 Sep [cited 2006 May 7];59(6):1193-205. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15210091&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Solyom AE, Moreno JD. Protection of children and adolescents in psychiatric research: an unfinished business. *HEC Forum*. 2005 Sep;17(3):210-26.

Staller JA, Wade MJ, Baker M. Current prescribing patterns in outpatient child and adolescent psychiatric practice in central New York. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2005 Feb [cited 2006 Mar 5];15(1):57-61. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741786&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Stein MT, Carey WB, Snyder DM. Is this a behavior problem or normal temperament? *J Dev Behav Pediatr*. 2004 Oct;25(5 Suppl):S1-S7.

Stevens J, Harman JS, Kelleher KJ. Race/ethnicity and insurance status as factors associated with ADHD treatment patterns. *J Child Adolesc Psychopharmacol* [abstract on the Internet]. 2005 Feb [cited 2006 May 3];15(1):88-96. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741790&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Study shows how improving quality of psychotropic prescribing reduces hospital utilization. *PR Newswire* [serial on the Internet]. 2005 Nov 16 [cited 2006 May 7]:1. Available from: <http://newsroom.lilly.com/ReleaseDetail.cfm?ReleaseID=179886>.

Substance Abuse and Mental Health Administration (U.S.). Depression among adolescents [serial on the Internet]. The NSDUH report. [updated 2005 Dec 30; cited 2006 Mar 30]. Available from: <http://www.oas.samhsa.gov/2k5/youthDepression/youthDepression.htm>.

Tanne J. ADHD drugs should carry warning, FDA committee recommends: news extra. *BMJ* [serial on the Internet]. 2006 Apr 1 [cited 2006 Mar 31];332:748-c.

Theodoslou L. Pathological child psychiatry and the medicalization of childhood. *Br J Psychiatry* [serial on the Internet]. 2004 [cited 2006 May 7];184(3):282. Available from: <http://bjp.rcpsych.org/cgi/reprint/184/3/282>.

Therapeutics Initiative. Antidepressant medications in children and adolescents [monograph on the Internet]. *Ther Lett*. 52(April/May/June) Vancouver: Therapeutics Initiative, University of British Columbia; [updated 2004; cited 2006 Feb 17]. 52. Available from: <http://www.ti.ubc.ca/pages/letter52.htm>.

Thomas CP, Conrad P, Casler R, Goodman E. Trends in the use of psychotropic medications among adolescents, 1994 to 2001. *Psychiatr Serv* [abstract on the Internet]. 2006 Jan [cited 2006 May 3];57(1):63-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16399964&itool=iconabstr&query hl=16&itool=pubmed_docsum.

Timimi S, Moncrieff J, Jureidini J, Leo J, Cohen D, Whitfield C, et al. A critique of the international consensus statement on ADHD. *Clin Child Fam Psychol Rev*. 2004 Mar;7(1):59-63.

Tonkin A, Jureidini J. Wishful thinking: antidepressant drugs in childhood depression. *Br J Psychiatry*. 2005 Oct;187:304-5.

Valuck RJ, Libby AM, Sills MR, Giese AA, Allen RR. Antidepressant treatment and risk of suicide attempt by adolescents with major depressive disorder: a propensity-adjusted retrospective cohort study. *CNS Drugs* [abstract on the Internet]. 2004 [cited 2006 May 3];18(15):1119-32. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15581382&itool=iconabstr&query hl=16&itool=pubmed_docsum.

Vedantam S. Cautions issued on use of psychiatric drugs; antidepressants, ADHD medications. *The Washington Post* 2006 Feb 9 [cited 2006 May 7];A 09. Available from: <http://www.washingtonpost.com/wp-dyn/content/article/2006/02/08/AR2006020802350.html>.

Vitiello B. Pharmacoepidemiology and pediatric psychopharmacology research. *J Child Adolesc Psychopharmacol*. 2005 Feb;15(1):10-1.

Vitiello B, Heiligenstein JH, Riddle MA, Greenhill LL, Fegert JM. The interface between publicly funded and industry-funded research in pediatric psychopharmacology: opportunities for integration and collaboration. *Biol Psychiatry* [abstract on the Internet]. 2004 Jul 1 [cited 2006 Mar 5];56(1):3-9. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15219466&itool=iconabstr&query hl=16&itool=pubmed_docsum.

Warner LA, Pottick KJ, Bilder SM. Clinical and organizational correlates of medication for youths in U.S. mental health services. *Soc Serv Rev* [abstract on the Internet]. 2005 Sep [cited 2006 May 7];79(3):454. Available from: <http://www.journals.uchicago.edu/SSR/journal/issues/v79n3/790303/brief/790303.abstract.html?erFrom=2187071114871692366Guest>.

Whitley G. Generation Rx; adrift in a sea of psychotropic pharmacology, it's easy for a kid to drown. *Dallas Observer* 2005 May 19 [cited 2006 May 7];N/A. Available from: http://www.erowid.org/general/mentions/2005_may_dallas_observer1.shtml.

Wilens TE, Kratochvil C, Newcorn JH. Do children and adolescents with ADHD respond differently to atomoxetine? *J Am Acad Child Adolesc Psychiatry* [abstract on the Internet]. 2006 Feb [cited 2006 May

7];45(2):149-57. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16429085&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Wong IC, Murray ML, Camilleri-Novak D, Stephens P. Increased prescribing trends of paediatric psychotropic medications. *Arch Dis Child* [serial on the Internet]. 2004 Dec [cited 2006 Mar 5];89(12):1131-2. Available from: <http://adc.bmjournals.com/cgi/reprint/89/12/1131>.

Wong IC, Besag FM, Santosh PJ, Murray ML. Use of selective serotonin reuptake inhibitors in children and adolescents. *Drug Saf* [abstract on the Internet]. 2004 [cited 2006 Mar 5];27(13):991-1000. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15471506&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Yatham LN, Kennedy SH, O'Donovan C, Parikh S, MacQueen G, McIntyre R, et al. Canadian Network for Mood and Anxiety Treatments (CANMAT) guidelines for the management of patients with bipolar disorder: consensus and controversies. *Bipolar Disord* [abstract on the Internet]. 2005 [cited 2006 May 3];7 Suppl 3:5-69. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15952957&itool=iconabstr&query_hl=16&itool=pubmed_docsum.

Youth suicide trends place SSRIs in spotlight. *Behav Healthc Tomorrow*. 2004 Feb;13(1):42-5.

Zarko RM, Brar B, Choure J, Deshmukh R, Franco K. Psychotropic medication use in high-risk youths. *J Am Acad Child Adolesc Psychiatry*. 2004 Nov;43(11):1321-2.

Zito JM, Safer DJ, Zuckerman IH, Gardner JF, Soeken K. Effect of Medicaid eligibility category on racial disparities in the use of psychotropic medications among youths. *Psychiatr Serv* [serial on the Internet]. 2005 Feb [cited 2006 Mar 30];56(2):157-63. Available from:

<http://ps.psychiatryonline.org/cgi/content/full/56/2/157>.

Zito JM, Safer DJ. Recent child pharmacoepidemiological findings. *J Child Adolesc Psychopharmacol*. 2005 Feb;15(1):5-9.

Zito JM, Derivan AT, Greenhill LL. Making research data available: an ethical imperative demonstrated by the SSRI debacle. *J Am Acad Child Adolesc Psychiatry*. 2004 May;43(5):512-4.

Zuvekas SH. Prescription drugs and the changing patterns of treatment for mental disorders, 1996-2001. *Health Aff (Millwood)* [abstract on the Internet]. 2005 Jan [cited 2006 Mar 5];24(1):195-205. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15647230&itool=iconabstr&query_hl=16&itool=pubmed_docsum.